

*Adorables for Baby \* So Easy to Make*



VOL. 324  
15¢  
(IN U.S.A.)

*of dainty Glossilla Crochelle*  
TRADE MARK



*for adorable lovely baby things use*  
**GLOSSILLA CROCHELLE**



TRADE MARK



**O**F course you want your baby's things to be extra beautiful . . . and one way to give them lasting style and prettiness is to use the new *Glossilla Crochelle*.

For *Glossilla Crochelle* is a soft, smooth rayon yarn for crocheting charming caps, sweet bonnets and booties, lovely jackets and sweaters, decorative edgings on baby sacques, bibs and pillows. It adds a touch of beauty to everything in a baby's wardrobe.

More than that, *Crochelle* is superbly easy and quick to work with . . . seems to glide through your fingers and take shape in a flash. Strongly twisted of washable 3-ply rayon yarn. You can count on *Glossilla Crochelle* to make baby's things of enduring loveliness.





## "Chubby" Beret No. 291

6 Months to 1 Year

**MATERIALS**—Glossilla Crochelle (All Rayon), 2 balls. Bucilla Featherlite† Steel Crochet Hook, Size 1.

These instructions apply only when Glossilla Crochelle is used as recommended.

### GAUGE:


Check your gauge.

9 sts = 1 inch      10 rounds = 1 inch


Ch 4. Join in a ring. Work 6 s c in ring.

First round—2 s c in each st (12 s c). 2nd round

(Continued on Page 14)



291



293

294

292

295

## "Ducky" Harness No. 293

**MATERIALS**—Glossilla Crochelle (All Rayon), 3 balls Main Color, 1 ball Contrasting Color for Trimming. Bucilla Featherlite† Steel Crochet Hook, Size 2.

These instructions apply only when Glossilla Crochelle is used as recommended.

**CHEST BAND**—With main color, ch 117 (13 inches). Work 1 s c in 2nd st from hook and in

(Continued on Page 14)



## "Cute" Hanger Covers No. 294

**MATERIALS**—Glossilla Crochelle (All Rayon), 1 ball each of 3 Contrasting Colors. Bucilla Featherlite† Steel Crochet Hook, Size 3.

These instructions apply only when Glossilla Crochelle is used as recommended.

**COVER FOR WOODEN PART OF HANGER** — Ch 10, skip first st, 2 s c in each st to end

(Continued on Page 14)



## "Softy" Moccasins No. 292

**MATERIALS**—Glossilla Crochelle (All Rayon), 1 ball. Bucilla Featherlite† Steel Crochet Hook, Size 5.

These instructions apply only when Glossilla Crochelle is used as recommended.

**INSTEP**—Ch 6, join in a ring. Work 12 s c in ring, join with a slip st, do not turn.

(Continued on Page 14)

## "Dress-Up" Mittens No. 295

**MATERIALS**—Glossilla Crochelle (All Rayon), 1 ball. Bucilla Featherlite† Steel Crochet Hook, Size 2.

These instructions apply only when Glossilla Crochelle is used as recommended.

### GAUGE:

Check your gauge. 13 sts = 2 inches  
Ch 59. First row—Skip first st, 1 slip st in each

(Continued on Page 14)

## "Mothers' Pet" Carriage Set No. 280

Infants' to 6 Months

**MATERIALS**—Glossilla Crochelle (All Rayon), 32 balls (Sacque 5 balls; Bonnet 2 balls; Booties 2 balls; Carriage Cover 17 balls; Pillow Cover 6 balls). Bucilla Featherlite† Steel Crochet Hook, Size 4.

These instructions apply only when Glossilla Crochelle is used as recommended.

### GAUGE:

Check your gauge.

9 d c = 1 inch

17 rows = 4 inches

1 pattern = 1 inch

### Sacque No. 280A

**YOKE**—Ch 86, for neck edge. First row—1 d c in 4th st from hook, 1 d c in each st on ch (84 sts, including ch 3 at beg., which counts as 1 d c). 2nd row—Ch 3, turn, 1 d c in 2nd st below, 1 d c in each of next 7 sts, 2 d c in next st (inc.), \* 1 d c in each of next 4 sts, inc. in next st; repeat from \* 12 times, end 1 d c in each of last 8 sts, 1 d c in top st of turning ch (14 increases; 98 sts). Ch 3, turn at beg. of each row of yoke, end in top st of turning ch. 3rd row—10 d c, inc. in next and every 6th st 14 times, end 9 d c (112 sts). 4th row—10 d c, inc. in next and every 7th st 14 times, end 10 d c (126 sts). 5th row—11 d c, inc. in next and every 8th st 14 times, end 10 d c (140 sts). 6th row—11 d c, inc. in next and every 9th st 14 times, end 11 d c (154 sts). 7th row—12 d c, inc. in next and every 10th st 14 times, end 11 d c (168 sts). 8th row—12 d c, inc. in next and every 11th st 14 times, end 12 d c (182 sts). 9th row—13 d c, inc. in next and every 12th st 14 times, end 12 d c (196 sts). 10th row—13 d c, inc. in next and every 13th st 14 times, end 13 d c (210 sts).

**First row of pattern**—Ch 3, turn, 1 d c in 2nd d c below, † skip 1 st, 1 d c in next st, \* ch 2, 1 d c in same st; repeat from \* twice (open shell), skip 1 st, 1 d c in each of next 4 sts; repeat from †, end with a shell in 4th st from



280 A

280 B

end, skip 1, 1 d c in next st, 1 d c in top st of turning ch (30 patterns). 2nd row of pattern—Ch 3, turn, 1 d c in 2nd st, \* ch 2, skip 1 space, 1 s c in next space, ch 2, 1 more s c in same space, ch 2, skip next space, 1 d c in each of the 4 d c of d c stripe below; repeat from \*, end ch 2, 1 d c in last d c, 1 d c in top st of turning ch. 3rd row of pattern—Ch 3, turn, 1 d c in 2nd st, \* skip 1 space, work an open shell in next (center) space, skip next space, 1 d c in each st of 4 d c stripe; repeat from \*, end skip last space, 1 d c in last d c, 1 d c in top st of turning ch. The last 2 rows complete the pattern, repeat them alternately until piece measures 4½ inches from beg. (10 pattern rows), end with 2nd row of pattern. These 20 rows complete the yoke.







280 D

280 E

280 C

**RIGHT FRONT**—Work over first 5 patterns, end 2 d c on 6th d c stripe. Continue on these 5 patterns until there are 18 short rows completed for front (4¼ inches from underarm). Fasten off.

**RIGHT SLEEVE**—Working from same side as first row of right front, work 1 d c in next st on last row of yoke, 1 d c in next st, then continue in pattern (same as first row of pattern) until there are 6 patterns completed, end 2 d c in 7th d c stripe. Work even on these 6 patterns until sleeve measures 4¼ inches from yoke (18 rows), end with 2nd row of pattern.

**SLEEVE BAND**—First row—Ch 3, turn, 1 d c in 2nd d c, \* 1 d c in next space, 1 s c in next space, 1 d c in next space, 1 d c in each of the next 3 d c, skip next d c; repeat from \*, end 1 d c

in last d c, 1 d c in top st of turning ch (37 sts).  
**2nd row**—Ch 3, turn, 1 d c in 2nd st below, 1 d c in each st of row below, 1 d c in top st of turning ch. Repeat last row twice. Fasten off.

**BACK**—Join thread in next st on last row of yoke at back edge of sleeve. **First row**—Work pattern until there are 8 patterns, end 2 d c. Continue until back is same length as front, end with 2nd row of pattern. Fasten off. Make left sleeve and front to correspond.


**EDGING**—Join thread at neck edge on left front, \* work 1 s c in post of next row on front edge, 1 s c in end of row; repeat from \* to lower edge. Fasten off. Join thread on right front at lower edge and work 1 row of s c on left front. Turn, ch 3 for

(Continued on Page 15)






281 A



281 C



281 B



## "First Outdoor Set" No. 281

Size — up to 6 Months

**MATERIALS**—Glossilla Crochelle (All Rayon), 12 balls (Sacque 7 balls; Bonnet 3 balls; Bootees 2 balls). Bucilla Featherlite† Steel Crochet Hook, Size 3.

These instructions apply only when Glossilla Crochelle is used as recommended.

### GAUGE:

Check your gauge.


Shell pattern—4 rows = 1 inch

## Sacque No. 281A

**YOKE—BACK**—Ch 66, 1 s c in 2nd st from hook, \* ch 1, skip next st, 1 s c in next st; repeat from \* to end of ch (32 spaces). 2nd row—Ch 1, turn, 1 s c in first s c, 1 s c in first space, \* ch 1, 1 s c in next space; repeat from \* to last space, 1 s c in last s c (31 spaces and 2 s c at each end). 3rd row—Ch 1, turn, 1 s c in first s c, \* ch 1, 1 s c in next space; repeat from \* to last space, ch 1, 1 s c in last s c (32 spaces). Repeat the last 2 rows (seed st pattern) 12 times, then repeat 2nd row once again (28 rows from beg.).

(Continued on Page 16)





## "Christening Set" No. 282

*Infants' to 6 Months*

**MATERIALS**—Glossilla Crochelle (All Rayon), 21 balls (Coat 16 balls, Bonnet 3 balls, Booties 2 balls). Bucilla Featherlite† Steel Crochet Hook, Size 4.

These instructions apply only when Glossilla Crochelle is used as recommended.

### **GAUGE:**

Check your gauge.

9 shells = 4 inches    9 rows = 2 inches

## **Coat No. 282A**

**MEASUREMENTS**—Chest 20½ inches. Length from lower edge to underarm 14½ inches—to back of neck 18½ inches. Sleeves—Width below underarm 7 inches.

**YOKE—BACK**—Ch 80 for top of back yoke.

**Shell Pattern with Even Edges**—First row—Work 1 s c in 4th st from hook, ch 2, 3 d c in same st (a shell), \* skip 3 sts, 1 s c in next st, ch 2, 3 d c in same st; repeat from \*, end skip 3, 1 s c in last st (19 shells).

(Continued on Page 17)



283

286  
(SEE PAGE 13)

296

### "Button Up" Cardigan No. 283

Size 2 Years

**MATERIALS**—Glossilla Crochelle (All Rayon), 7 balls Main Color, 1 ball Contrasting Color for Trimming. Bucilla Featherlite† Steel Crochet Hook, Size 6.

These instructions apply only when Glossilla Crochelle is used as recommended.

#### GAUGE:

Check your gauge.

13 patterns = 4 inches    6 rows = 1 inch

**MEASUREMENTS**—Chest 19½ inches. Length from lower edge to back of neck 10 inches. Sleeves—Width 7 inches.

**Sample of Pattern Stitch**—Ch 46 sts, 1 s c in 2nd st from hook, 1 s c in each remaining st of ch (45 s c). Ch 4, turn.

**Pattern**—First row (right side)—\* Skip 2 s c, work 1 d c and 1 s c in next s c, ch 2; repeat from \*, end skip 2, 1 d c in last s c. 2nd row—Ch 4, turn, skip the 2 ch and 1 s c, work 1 d c and 1 s c in d c of first group, \* ch 2, work

(Continued on Page 18)

### "Cuddly" Sacque No. 296

Size 6 Months to 1 Year

**MATERIALS**—Glossilla Crochelle (All Rayon), 5 balls. Bucilla Superfine 100% Angora, 2 balls. Bucilla Featherlite† Steel Crochet Hook, Size 5. Bucilla 6-inch White Crochet Hook, Size 5.

These instructions apply only when Glossilla Crochelle is used as recommended.

#### GAUGE:

Check your gauge.

Before Weaving—5 meshes = 1 inch

9 rows = 2 inches

**MEASUREMENTS**—Chest 20 inches. Length from lower edge to neck edge 11 inches. Sleeves—Width at underarm 7½ inches.

Entire garment is worked vertically with Glo-Twist. Angora is woven through meshes.

**RIGHT SLEEVE**—With steel hook, ch 78 for lower edge of right sleeve. First row—1 d c in 6th st from hook, \* ch 1, skip 1 st, 1 d c in next st; repeat from \* to end (37 meshes). 2nd row

(Continued on Page 19)







### "Lacy" Sacque No. 284 6 Months to 1 Year Size

**MATERIALS**—Glossilla Crochelle (All Rayon), 5 balls. Bucilla 14-inch Steel Knitting Needles, 1 pair, Size 1. Bucilla Featherlite† Steel Crochet Hook, Size 5.

These instructions apply only when Glossilla Crochelle is used as recommended.

#### GAUGE:

Check your gauge.

Before blocking—15 sts = 2 inches

29 rows = 2 inches

After blocking—8 sts = 1 inch

27 rows = 2 inches

**MEASUREMENTS**—Chest 19 inches. Length from lower edge to back of neck 10 inches. Sleeves—Width below underarm 7 inches.

**BACK**—Cast on 75 sts. First row (wrong side)—Purl.

2nd row—K 3, \* y o, slip 1 (always slip as to k), k 2 tog, pass slip st over 2 tog, y o, k 3; repeat from \* to end.

(Continued on Page 20)

### "Adorabelle" Sacque No. 285 Size 6 Months to 1 Year

**MATERIALS**—Glossilla Crochelle (All Rayon), 6 balls Color, 1 ball White. Bucilla Featherlite† Steel Crochet Hook, Size 8.

These instructions apply only when Glossilla Crochelle is used as recommended.

#### GAUGE:

Check your gauge.

7 patterns = 2 inches      4 rows = 1 inch

**MEASUREMENTS**—Chest 19½ inches. Length from lower edge to back of neck 11 inches. Sleeves—Width at underarm 7 inches.

**YOKE**—With color, ch 136 for neck edge. First row (right side)—1 d c in 5th st from hook, ch 2, 1 d c in same st, \* skip 2, 1 d c in next st, ch 2, 1 d c in same st; repeat from \*, end skip 1 st, 1 d c in last st (44 patterns). 2nd row—Ch 3, turn, 1 d c in first ch 2—space, ch 2, 1 d c in same space, \* 1 d c in next ch 2—space, ch 2, 1 d c in same space; repeat from \*, end with 1 d c in top st of turning ch of row below;

(Continued on Page 20)



## "Party" Dress No. 290

Size 2 Years

**MATERIALS**—Glossilla Crochelle (All Rayon), 12 balls. Glossilla Four Strand Embroidery Floss (All Rayon), Art. 4600, 4 skeins. Bucilla Feather-lite† Steel Crochet Hook, Size 5.

These instructions apply only when Glossilla Crochelle is used as recommended.

### GAUGE:

Check your gauge.

5 patterns = 3 inches      4 rows = 1 inch

**MEASUREMENTS**—Chest 32 inches. Yoke  $9\frac{3}{4}$  inches. Length from lower edge to neck edge  $15\frac{1}{4}$  inches—to underarm 11 inches. Sleeves—Width at underarm 9 inches.

**FRONT**—Ch 166, for lower edge. **Shell Pattern**—First row (right side)—2 d c in 4th st from hook, \* skip 2 sts, 1 d c in next st, skip 2 sts, a shell of 2 d c, ch 1, 2 d c,—all in next st; repeat from \*, end with 1 d c in 3rd st from end, skip 2 sts, 3 d c in last st (27 patterns). Ch 3, turn at end of every row. **2nd row**—2 d c in first d c, \* skip 2 sts, 1 d c in next st (single d c between shells), skip 2, a shell of 2 d c, ch 1, 2 d c,—all in next space; repeat from \*, end skip 2 sts, 3 d c (a half shell) in top st of turning ch. **3rd row**—Skip 3 sts (half shell below), a shell of 2 d c, ch 1, 2 d c,—all in next d c (single d c between shells), \* 1 d c in space of next shell, a shell in next d c between shells; repeat from \*, end 1 d c in top st of turning ch. **4th row**—\* A shell in space of shell below, 1 d c in d c between shells; repeat from \* working a shell over shells below, d c over d c's between shells, end with 1 d c in top st of turning ch. **5th row**—2 d c in first d c, \* 1 d c in space of next shell, a shell in next d c between shells; repeat from \*, end 1 d c in space of last shell, a half shell in top st of turning ch. These last 4 rows complete the pattern, repeat them beg. with 2nd row, until piece measures 11 inches from beg. (44 rows), end with 4th row of pattern.

**Armholes and Yoke**—Turn, slip st over 1 pattern for underarm, ch 3, 2 d c in d c (between shells), 1 d c in next space, continue in pattern to within 1 pattern of end. Work 3 rows even in pattern on the 25 patterns in row. **First row of Yoke Band**—Ch 1, turn, 1 s c in first d c of first shell, skip 1 st, 1 s c in next space, skip 1 st, 1 s c in next st, \* skip 1 st, 1 s c in each of next 2 d c, skip next ch 1, 1 s c in each of next 2 d c; repeat from \* to within 1 pattern of end, skip 1 st, 1 s c in first st of next shell, skip 1 st, 1 s c in next space, skip 1 st, 1 s c in next st (98 s c). **2nd row**—Ch 1, turn, 1 s c in each st, skipping 1 st in center of row (97 sts). **3rd row**—Ch 3, turn, 1 d c in 2nd st, 1 d c in each st.

**4th and 5th row**—Ch 3, turn, 1 d c in 2nd st, 1 d c in each st, end 1 d c in top st of turning ch. **6th row**—Ch 1, turn, 1 s c in each st. **7th row**—Same as first row of shell pattern. Continue

(Continued on Page 20)







## "Go-With-All" Jacket No. 289

Size 3 Years

**MATERIALS**—Glossilla Crochelle (All Rayon), 4 balls Light, 5 balls Dark. Bucilla Featherlite† Steel Crochet Hook, Size 4.

These instructions apply only when Glossilla Crochelle is used as recommended.

### GAUGE:

Check your gauge.

2 shells = 1 inch

15 rows = 4 inches

**MEASUREMENTS**—Chest 24 inches. Length from lower edge to underarm  $7\frac{1}{2}$  inches. Sleeves—Width below underarm  $8\frac{1}{2}$  inches.

**BACK**—With dark, ch 94. Work 93 s c on ch, draw up a long loop to prevent ripping. Join light in last st of row; turn.

**Shell Pattern**—First row (right side)—With light, \* ch 5, 1 s c in 2nd ch from hook, 1 h d c in next ch, 1 d c in next ch, thread over twice, draw up a loop in next ch, over, take off 2 loops, skip 1 st of row below, draw up a loop in next st, over, take off 2 loops, over, take off 3 loops, skip 1 st, 1 s c in next st \*; repeat between \*'s across, draw up a long loop (23 light shells).

**2nd row**—Take up dark loop at other end and work 4 slip sts on light ch, \* 1 s c in s c, 1 h d c in h d c, 1 d c in d c, over twice and draw up loop in next st, over, take off 2 loops, draw up loop in center st of "ch 5" (insert hook under 1 thread only), over, take off 2 loops, over, take off 3 loops; repeat from \*, drawing up last loop of last shell in last st of row below, work 1 tr in last st, draw up a long loop (23 dark shells).

**3rd row**—Take up light loop and work 4 slip sts on side of last dark tr, repeat between \*'s of first row across. Repeat 2nd and 3rd row for pattern. Work until  $7\frac{1}{2}$  inches from beg. or desired length to underarm, end with 2nd row. Fasten off dark.

**Armholes**—First row—Take up light and work 4 slip sts on side of last tr, work 4 slip sts over dark shell (right underarm), work pattern across row to within 1 shell of end (21 shells).

**2nd row**—Join dark at other end in 4th slip st on dark shell; work pattern across, omit last shell, end 1 s c in top of light shell (20 shells).

**3rd row**—Take up light, work slip st on edge of light shell, work pattern with light (20 shells).

**4th row**—With dark work same as 2nd row (19 shells).

Work pattern even until  $4\frac{1}{2}$  inches above underarm, end with 2nd row. Fasten off.

**RIGHT FRONT**—With dark, ch 50. Work same as back for  $7\frac{1}{2}$  inches, with 12 shells in pattern, end with 2nd row (front edge).

Shape same as left armhole of back (10 shells). Work even until  $2\frac{1}{4}$  inches above underarm, end with 2nd row at front edge.

**Neck**—Break both colors. Turn, skip 5 dark shells, join light in next st. First row—Work 5 shells with light. 2nd row—Join dark and work 5

(Continued on Page 21)





## "Playtime" Cardigan No. 287

Size 2 Years

**MATERIALS**—Glossilla Crochelle (All Rayon), 10 balls. Bucilla Featherlite† Steel Crochet Hook, Size 4.

These instructions apply only when Glossilla Crochelle is used as recommended.

**MEASUREMENTS**—Chest 22 inches. Length from lower edge to underarm  $7\frac{3}{4}$  inches. Sleeves—Width below underarm  $7\frac{1}{2}$  inches.

### GAUGE:

Check your gauge.

Mesh Pattern—5 meshes = 1 inch, 6 rows = 1 inch

**BACK**—Ch 110 sts. Draw up a loop in 4th st from hook; over, take off 1 loop, over, take off 2 loops (a long s c); \* ch 1, skip 1, 1 long s c in next st; repeat from \* across (54 meshes—55 posts, including turning ch).

**First pattern row** (right side)—Ch 3, turn; over, draw up a loop in 2nd long s c; over and draw up a loop in same st 3 times more (9 loops on hook); over, take off all loops, ch 1 (a popcorn), \* work 1 long s c in each of next 3 long s c with ch 1 between, 1 popcorn in next long s c, \* repeat between \*'s, end 1 long s c in turning ch (54 meshes and 55 posts, popcorn counts as a post).

**2nd row**—Ch 3, turn, 1 long s c in popcorn, ch 1, 1 long s c in next long s c, continue meshes across, end 1 long s c in 2nd st of turning ch.

**3rd row**—Ch 3, turn, 1 long s c in 2nd long s c, ch 1, 1 long s c in next long s c, \* 1 popcorn in next long s c, 1 long s c in each of next 3 long s c with ch 1 between; repeat from \* across, end 1 long s c in 2nd st of turning ch.

**4th row**—Ch 3, turn, 1 long s c in 2nd long s c, ch 1, 1 long s c in next long s c, continue meshes across. Repeat these 4 rows of pattern until  $7\frac{3}{4}$  inches from lower edge, or desired length, end with first pattern row.

**Armholes** — Dec. row — Ch 1, turn, slip st over first 4 meshes, ch 3 and continue pattern to within 4 meshes of end (46 meshes—4 meshes left off each side for underarm). Turn, work pattern even until  $3\frac{3}{4}$  inches above underarm, end with 4th pattern row. Fasten off.

**SLEEVES**—Ch 47 loosely, 1 long s c in 3rd st from hook and in each st on ch (46 sts). **2nd row**—Ch 2 (count as a st), turn, 1 long s c in 2nd long s c and in each st of row below; end 1 long s c in turning ch. Repeat 2nd row 4 times for cuff. **Inc. row**—Ch 3, turn, 1 long s c in 2nd st, ch 1, 1 long s c in next st, ch 1, 1 long s c in next st, † ch 1, skip 1, 1 long s c in next st, \* ch 1, 1 long s c in next st, repeat from \* 3 times, repeat from † across (38 meshes). Work first pattern row and continue pattern until  $7\frac{1}{2}$  inches above cuff or desired length to underarm, end with first pattern row.

**First dec. row**—Ch 1, turn, slip st over first 4 meshes, ch 1, 1 long s c in popcorn, continue pattern to within 6 posts of end, ch 1, draw up a loop in each of next 2 posts, over, through



2 loops, over, through 2 loops (a decreasing long s c which counts as a post; 28 meshes). **2nd dec. row**—Ch 1, turn, 1 long s c in 2nd post, continue pattern, end a decreasing long s c in last 2 posts (26 meshes). Repeat 2nd row 7 times (12 meshes). Fasten off.

**RIGHT FRONT**—Ch 54. Work as on back until same number of rows to armhole, end with first pattern row at underarm edge (26 meshes).

**Armhole and Neck Shaping**—**First row**—Ch 1, turn, slip st over 4 meshes, ch 3, work pattern across (22 meshes). **2nd row**—Ch 1, turn, work pattern across (21 meshes). Repeat dec. at neck every 2nd row 7 times (14 meshes). Work even until same number of rows as on back armhole. Fasten off.

**LEFT FRONT**—Work same as right front up to armhole, end at front edge.

**Armhole and Neck Shaping**—**First row**—Work to within 4 meshes of end (22 meshes). **2nd row**—Turn, work across, end a decreasing long s c in last 2 posts (21 meshes). Finish to correspond to right front.

**FINISHING**—Sew seams. Sew in sleeves. Join thread on right front at lower corner, work 67 s c on front edge to neck, 2 s c at corner, 34 s c to shoulder, 30 s c on back neck edge, finish left side to correspond.

**2nd row**—Work long s c as on cuff, working 2 long s c at corners of neck and a decreasing long s c at shoulder seams. **3rd row**—Work 1 s c in each st of row below. **4th row**—Work s c to corner of right neck edge, \* ch 3 for buttonhole, skip 3, work 15 s c; repeat from \*, end 1 s c in each st to lower edge (4 buttonholes). **5th row**—Same as 2nd row. **6th row**—Work s c on border and lower edge of sweater, keeping work flat. Join; fasten off. Steam lightly. Sew on buttons.

## "Smoothy" Slipon No. 286

(Shown on Page 8)

Size 2 Years

**MATERIALS**—Glossilla Crochelle (All Rayon), 9 balls. Bucilla Featherlite† Steel Crochet Hook, Size 6.

These instructions apply only when Glossilla Crochelle is used as recommended.

### GAUGE:

Check your gauge.

Eyelet Pattern—9 patterns = 4 inches

17 rows = 4 inches

Mesh Pattern—9 meshes = 2 inches

8 rows = 1 inch

**MEASUREMENTS**—Width at underarm 22 inches, at yoke 10 inches. Length from lower edge to underarm 6½ inches; to shoulder 11½ inches. Sleeves—Width below underarm 8 inches.

**BACK YOKE**—Ch 92, 1 s c in 4th st from hook, \* ch 1, skip 1 st, 1 s c in next st; repeat from \* across (45 meshes).

**2nd row**—Ch 3, turn, 1 s c in 2nd s c, \* ch 1, 1 s c in next s c; repeat from \* across, end 1 s c

in 2nd st of turning ch. Repeat 2nd row of meshes for 1 inch.

**Body—First pattern row**—Ch 4, turn, 1 s c in first s c, skip 1 st (the ch 1), work an eyelet d c as follows: 1 d c in next st, 5 s c over single thread at top side of d c just worked (wrap thread used to take off last 2 loops), skip 1, 1 s c in next st, \* skip 1, 1 eyelet d c in next st, skip 1, 1 s c in next st, 1 eyelet d c in next st, skip 1, 1 s c in next st; repeat from \*, end 1 d c in 2nd st of turning ch (25 eyelet d c).

**2nd pattern row**—Ch 1, turn, 1 s c in first d c, 1 eyelet d c in next s c (before first eyelet d c), 1 s c in center s c of first eyelet d c below, \* 1 eyelet d c in s c between eyelet d c's below, 1 s c in center st of next eyelet d c; repeat from \*, end 1 s c in 3rd st of turning ch (26 eyelet d c).

**3rd pattern row**—Ch 4, turn, work 1 s c in center st of first eyelet d c below, \* 1 eyelet d c in s c between eyelet d c's below, 1 s c in center s c of next eyelet d c; repeat from \*, end 1 d c in last s c (25 patterns). These last 2 rows complete the eyelet pattern. Repeat 2nd and 3rd row alternately until piece measures 10 inches from yoke or desired length, end with 3rd pattern row. Fasten off. Work front in same way.

**Right Shoulder Insert**—Ch 28, work in mesh pattern as on yoke for 8 rows (13 meshes).

**Next row**—Turn, work in eyelet pattern (7 patterns), then slip st along end of insert for neck edge, work 7 eyelet d c along back edge. Work left shoulder insert in same way.

**SLEEVES**—Ch 44. **First row**—1 s c in 6th st from hook, \* skip 1, 1 eyelet d c in next st, skip 1, 1 s c in next st; repeat from \*, end skip 1, 1 d c in last st (9 patterns).

**2nd row**—Ch 1, turn, 1 s c in first d c, 1 eyelet d c in next st (before eyelet d c below), 1 s c in center s c of next eyelet d c, continue in pattern, end 1 s c in 3rd st of turning ch (10 patterns).

**First inc. row**—Ch 3, turn, 1 eyelet d c in first s c, 1 s c in center st of first eyelet d c below, continue in pattern, end 1 eyelet d c in last s c below, 1 d c in same s c (11 patterns).

**2nd inc. row**—Ch 3, turn, 1 eyelet d c in first d c, 1 s c in center st of first eyelet d c below, continue pattern, end 1 eyelet d c in 3rd st of turning ch, 1 d c in same st (12 patterns). Repeat 2nd inc. row 6 times (18 patterns).

**Next row**—Same as 3rd pattern row of body, end with 1 d c in top st of turning ch. Repeat 2nd and 3rd pattern row until piece measures 8¾ inches from beg., or desired length, end with 3rd pattern row.

**Sleeve Band**—Ch 3, turn, \* 1 s c in 2nd s c of first eyelet d c, 1 s c in 4th s c of same eyelet d c, 1 s c in s c between eyelet d c's, 1 s c in center of next eyelet d c, 1 s c between eyelet d c's; repeat from \*, end 1 s c in turning ch (45 sts).

Work in meshes as on yoke for ¾ inch. Fasten off.

**FINISHING**—Sew sleeve seams. Sew underarm seams from lower edge to within 4½ inches of top. Sew back edges of shoulder inserts to 13



meshes at each side of back yoke, with scallops overlapping yoke. Sew front insert edges to front yoke from armhole edge to within 3 patterns of end for buttonloops. Sew in sleeves. Steam lightly. Sew buttons on front yoke (as shown), using upper part of eyelet d c for buttonloops.

### "Chubby" Beret No. 291

(Continued from Page 3)

—\* 1 s c in next st, 2 s c in next st; repeat from \* 5 times. Mark last st as end of round. **3rd round** —\* 1 s c in each of 2 sts, 2 s c in next st; repeat from \* to end of round. Inc. should be in last st of inc. in previous round.

Continue to inc. in this way, having 1 st more between increases in each successive round until there are 26 sts between inc. sts (168 sts). Work 16 rounds even. \* Draw up a loop in each of next 2 sts, work off as 1 s c, 1 s c in each of next 26 sts; repeat from \* around. \* Dec. 1 st, work 25 sts; repeat from \* around. Continue to dec. in this way until there are 20 sts between decreases. Work 6 rounds even. Fasten off. Cut a cardboard 10 inches in diameter. Insert in beret and steam.

**Tab**—Ch 11, 1 s c in 2nd st from hook and in each st to end of ch, 10 s c on other side of ch. Fasten off. Sew to center top of beret.

### "Ducky" Harness No. 293

(Continued from Page 3)

each st on ch. Ch 1, turn, 1 s c in each st on row below. Repeat last row until there are 18 rows. Fasten off.

**REINS**—With main color, ch 16 (1½ inches). Work 15 s c as for band until 60 inches or desired length (allow about 10 inches for stretching in blocking). Fasten off.

**FINISHING**—Join contrasting color at beg. of last row of chest band, \* work 1 s c in next s c, ch 1, skip 1 s c; repeat from \* across top. Fasten off. Work 1 row across foundation ch in same way.

With contrasting color, work 1 row s c, ch 1 around all edges of reins; join. Fasten off. Join thread in 3rd st from end on short side, ch 15, join with a slip st in 3rd st from other end, 1 slip

st in next st, turn. Work 1 s c in each st on ch, 1 slip st in each of next 2 sts, turn. Work 1 s c in each st to end of row. Fasten off. Make loop on opposite end in same way.

Embroider figures in cross st, see chart, with figures 1½ inches apart at center front. Steam lightly. Turn under short ends of chest band for 1¼ inches and sew to wrong side. Draw reins through these loops.



### "Dress-Up" Mittens No. 295

(Continued from Page 3)

of next 8 sts, 1 s c in each of 17 sts, 1 slip st in each of 8 sts, 1 s c in each of 17 sts, 1 slip st

in each of 8 sts. Mitten is made in slipper st, taking back loop only on all sts.

**2nd row**—Ch 1, turn, slip st in each of 8 sts, work 17 s c, 8 slip sts, 17 s c, 8 slip sts.

Repeat 2nd row until there are 17 rows from beg. **18th row**—Ch 1, turn, work 8 slip sts, 7 s c, ch 16 for thumb, skip 28 sts of last row, work 7 s c, 8 slip sts.

**19th row**—Work 8 slip sts, 7 s c, 1 s c in each of first 6 sts on ch, 1 slip st in each of next 4 sts, 6 s c in last 6 sts on ch, 7 s c, 8 slip sts.

Work 5 more rows as for last row. Break off, leaving an end for sewing. Fold piece and sew seam from lower edge to top, draw slip sts tog. firmly, sew down other side of thumb, sew hand in same way.

**Edging**—Working from right side, work 1 s c in end st of first ridge, \* ch 3, skip 1 ridge, 1 s c in next ridge; repeat from \* to end; join in first s c. \* Ch 3, 1 s c under next ch 3; repeat from \*, end as in last row.

Steam lightly. Draw narrow ribbon through center of ribbing on cuff.

### "Cute" Hanger Covers No. 294

(Continued from Page 3)

(18 s c). Ch 1, turn at end of every row. Work 1 s c in first st taking both loops, 1 s c in each st to within 1 st of end taking back loop only (slipper st), 1 s c in last st taking both loops. Repeat this row until long enough to fit hanger when slightly stretched. Next row, work off every 2 sts as 1 s c. Fasten off. Put hook through center of cover. Fold over stretching to fit, sew seam.

**COVER FOR HOOK**—Ch 5. Work slipper st on 4 sts until 6 inches. Fasten off. Sew seam, leaving 1 end open. Insert hook in cover and sew to cover on other part of hanger. Make 3 covers.

### "Softy" Moccasins No. 292

(Continued from Page 3)

**First round**—Ch 1, 1 s c in joining st, \* 5 d c in next st, 1 s c in next st; repeat from \* 5 times, end last repeat 1 slip st in first s c.

**2nd round**—Ch 6, 1 s c in center d c of next shell, \* ch 3, 1 d c in next s c, ch 3, 1 s c in center d c of next shell; repeat from \* 4 times, ch 3; join with a slip st in 3rd st of ch at beg.

**3rd round**—Ch 1, 1 s c in joining st, 1 s c in each ch and st inserting hook in back loop only (48 s c); join in first s c, ch 33 for leg, do not break thread.

**Foot**—Skip 15 sts of last round of instep, work 1 slip st in next st.

**4th round**—Ch 1, 1 s c in joining st, 1 s c in each of next 9 sts (working through both loops), 1 h d c, 1 d c, \* ch 1, 1 d c in next st; repeat from \* 9 times, 1 h d c, 9 s c, 1 s c in next (joining) st, 33 s c on ch, join in first s c.

**5th round**—Ch 3, 1 d c in each st, join in top of ch 3 (76 sts).

**6th round**—Ch 1, 1 s c in each st, join in first s c. Repeat 5th and 6th round twice.

**Next round**—Ch 3, 1 d c in each of 19 sts; \* dec. 1 st as follows: over, draw up a loop in next st,



over and through 2 loops, over, draw up a loop in next st, over and through 2 loops, over and through 3 loops, work 1 d c, dec. 1 st \*; 1 d c in each of next 33 sts, repeat between \*'s once (center back), finish round. Ch 1, 1 s c in each st. Fasten off. Fold foot lengthwise and sew sole seam, taking top loops only.

**Leg and Strap**—Working from right side, work 1 s c in each st on ch for leg (33 s c). Ch 3, turn. Work 1 row each of d c, s c, d c.

**5th row**—Ch 7, turn, work 6 s c on ch for strap, 1 s c in each st to end of row; join an extra strand in last st, ch 6, break off; continue s c to end of ch.

**6th row**—Ch 1, turn, 1 s c in each st to within 3 sts of end, ch 2, skip 2 for buttonloop, 1 s c in last st. Ch 1, turn, 1 s c in each st; continue s c on side and lower edge of strap and side of leg to instep, skip 1 st on instep, 1 slip st in next st, \* ch 3, 1 slip st in 3rd st of ch (picot), skip 1 st, 1 slip st in next st; repeat from \* 6 times, work s c to top of strap, work picot edging on top of strap. Fasten off. Steam lightly. Sew on button.

Make other moccasin to correspond, working buttonloop at beg. of row.

### "Mothers' Pet" Carriage Set No. 280

(Continued from Page 5)

buttonloop, skip next 2 sts of first row, 1 slip st in each of next 7 s c; repeat from \* once, ch 3, skip next 2 sts, join. Fasten off.

**FINISHING**—Sew underarm and sleeve seams. Steam lightly. Sew on buttons. Line sacque.

### Bonnet No. 280B

**BODY OF BONNET**—Ch 4, join with a slip st into a ring. First round—Ch 3, work 11 d c in ring, join with a slip st in top st of ch 3 (12 d c, including ch 3, which counts as 1 d c). **2nd round**—Ch 3, turn, 1 d c in same place as joining st below, 2 d c in each st of round, join as before (24 d c). Repeat last round once (48 sts). **4th round**—Ch 3, turn, 1 d c in joining below, \* 1 d c in each of next 2 sts, 2 d c in next st; repeat from \* increasing in every 3rd st of round, join as before (64 sts). **5th round**—Work in same way as last round, but inc. in every 4th st around, join (80 sts). **6th round**—Inc. in every 8th st around, join (90 sts). **7th round**—Inc. in first and every 12th st around, join (98 sts). **8th round**—Same as first row of pattern on sacque, join with a slip st in top st of turning ch (14 patterns). **9th round**—Same as 2nd row of pattern on sacque, join as before. **10th round**—Same as 3rd row of pattern on sacque, join as before. **11th round**—Same as 2nd row of pattern on sacque. **First short row**—Ch 3, turn, work in pattern to within 2 patterns of end, leaving 2 patterns free for back of neck. Continue to work in pattern on the 12 patterns now in row until bonnet measures about 6½ inches (25 rows) from beg., end with 2nd row of pattern, do not break off.

**NECK BAND**—Ch 3, work a row of d c along side of bonnet, along neck edge, continue along other side to correspond. **2nd row**—Ch 3, turn, 1 d c in

each st below. Repeat last row once. Fasten off. **FINISHING**—Steam lightly. Line. Trim with ribbon as shown.

### Bootees No. 280C

**INSTEP TAB**—Ch 17, for width across instep. **First row**—1 d c in 4th st from hook, 1 d c in each st of foundation ch (15 d c, including the ch 3, which counts as 1 d c). **2nd row**—Ch 3, turn, 1 d c in 2nd st below, 1 d c in each of next 12 sts, 1 d c in top st of turning ch. Repeat last row 5 times (about 1¾ inches).

**FOOT**—Ch 17, 15 d c on ch, then work 16 d c along side of instep insert, 15 d c on foundation ch, 16 d c along other side of instep insert; work a foundation d c as follows: thread over, draw up a loop in same place as last d c, thread over and through 1 loop (foundation); over and through 2, over and through remaining 2 loops on hook, thread over, draw up a loop in foundation of last foundation d c, over and through 2, twice in succession, continue in this way to build d c's until there are 15 foundation d c on this side of instep insert (77 sts in all). Work even in d c on the 77 sts for 2 rows. **First decrease row**—Ch 3, turn, over, draw up a loop in 2nd st, over and through 2, over, draw up a loop in next st, over and through 2, over and through remaining 3 loops on hook (a decreasing d c), 1 d c in each of next 33 sts; a decreasing d c, 1 d c in next st (center st), a decreasing d c, 1 d c in each of the next 33 sts; a decreasing d c, 1 d c in top st of turning ch (73 sts). Repeat last row twice having 2 sts less between decreases on sides after each dec. row (65 sts). Fasten off.

**BEADING**—Working along upper part of instep, fasten thread in end st of foundation d c's, ch 5, skip 1 d c, 1 d c in next st, \* ch 1, skip 1 st, 1 d c in next st; repeat from \* across (22 meshes).

**LEG OF BOOTEE**—Follow instructions for pattern as for sacque, beg. with first row of pattern, but skip 2 sts instead of 1 (5 patterns). Continue in pattern until there are 10 rows from beading (about 2½ inches), end with 2nd row of pattern. Fasten off. Make 2nd bootee.

Sew seams in back and at sole of bootees. Steam lightly. Trim with ribbon as shown.

### Carriage Cover No. 280D

Size 27 by 31 inches

**CENTER**—Ch 204, for width at lower edge. **First row**—1 d c in 4th st from hook, 1 d c in each of the next 2 sts, \* skip 2 sts, work a shell of 4 d c with ch 2 between as on sacque—all in next st, skip 2, 1 d c in each of the next 4 sts; repeat from \* to end (22½ patterns). **2nd row**—Ch 3, turn, 1 d c in 2nd st, 1 d c in each of the next 2 sts, \* ch 2, skip 1 space, 1 s c, ch 2, 1 s c,—all in next space, ch 2, skip 1 space, 1 d c in each of the next 4 d c; repeat from \* to end. **3rd row**—Same as 3rd row of pattern on sacque, but begin and end with a 4 d c stripe. Repeat last 2 rows alternately until piece measures 27 inches from beg. (114 rows).



**BORDER**—Ch 3, turn, work 3 d c in first st, work 201 d c on short side; 7 d c in corner; 225 d c on long side; 7 d c in corner; continue to end same as other 2 sides, end with 3 d c in same place as first 4 d c, join with a slip st in top st of turning ch (880 sts). **2nd row**—Ch 3, turn, work 2 d c in same place as joining st, 2 d c in next st, \* 1 d c in each st to within 1 st of corner, 2 d c in next st, 3 d c in corner st (center st of group of 7 below), 2 d c in next st; repeat from \* around, end with 2 d c in last st below, 1 d c in same place as first corner group, join as before (896 sts). Repeat last round 5 times (976 sts).

**EDGING**—Ch 8, turn, slip st in 3rd st from hook (picot), work a tr (twice over hook), in joining st below, \* ch 3, picot, another tr in same place; repeat from \* 4 times, skip 3 sts, 1 s c in next st, † skip 3 sts, a shell of 7 tr, with ch 3 picots between each (as in first shell)—all in next st, skip 3 sts, 1 s c in next st; repeat from † around, join with a slip st in 5th st of turning ch. Fasten off.

**FINISHING**—Steam lightly. Line. Trim as shown in illustration.

### Pillow Cover No. 280E Size 14 by 18 inches

**CENTER**—Ch 132, for width at lower edge. Follow instructions for carriage cover. Work even on the 14½ patterns now in row until piece measures 10½ inches from beg. (46 rows).

**BORDER**—Follow instructions for border of carriage cover until there are 5 rounds from beg., having 89 d c on short side, 129 d c on long side on first row, with 7 d c in each corner. There will be 464 sts in first round; 528 sts in last round. Work edging as on carriage cover.

**FINISHING**—Steam lightly. Cover a 12 by 16 inch pillow and sew a pleated ruffle 1¼ inches wide around edge. Sew cover to pillow.

### "First Outdoor Set" No. 281 (Continued from Page 6)

**RIGHT FRONT** (short row)—Ch 1, turn, 1 s c in first s c, \* ch 1, 1 s c in next space; repeat from \* 7 times. Continue in pattern until 15 short rows are completed, end at neck edge. **Next row**—Ch 17, for front neck edge, turn, 1 s c in 2nd st from hook, 1 s c in next st, \* ch 1, skip next st, 1 s c in next st; repeat from \* 6 times, ch 1, skip next s c, 1 s c in next space, work ch 1 and 1 s c in each of next 7 spaces, 1 s c in last s c. Work in pattern for 29 more rows; fasten off.

**LEFT FRONT** (short row)—Skip next 15 spaces of last row of back, 1 s c in next space, work in pattern to end of row (8 spaces). Continue in pattern until 15 short rows are completed, drop thread but do not fasten off. With a separate thread ch 16, slip st in first s c of 15th short row; fasten off. **Next row**—Pick up dropped loop, ch 1, turn, 1 s c in first s c, 1 s c in next space, \* ch 1, 1 s c in next space; repeat from \* 6

times, ch 1, skip next s c, 1 s c in next ch st, † ch 1, skip next ch st. 1 s c in next st, repeat from † 6 times, 1 s c in last ch st. Work in pattern for 29 more rows; fasten off.

**Lower Part of Sacque** (right side)—Work 1 s c in first s c of 30th row of left front, \* 1 s c in next space, 1 s c in next s c; repeat from \* to last s c (33 s c), ch 1 for underarm. continue to work 1 s c in each st of foundation ch of back of yoke (65 s c), ch 1, work 32 s c on last row of right front to correspond (133 sts in all). **Shell Pattern row**—Ch 3, turn, 2 d c in first s c, \* skip next st, 1 s c in next st skip next st, work a shell of 5 d c in next st (a shell pattern); repeat from \* to 5th st from end, skip next st, 1 s c in next st, skip next st, work 3 d c in last st (32 shell patterns with 3 d c at each end of row). **2nd row**—Ch 1, turn, 1 s c in top of first d c. \* work a shell on back top thread of next s c, 1 s c in top of center d c of next shell; repeat from \* across row, end with 1 s c in top st of turning ch 3. **3rd row**—Ch 3, turn, 2 d c in first s c, \* 1 s c in top of center d c of next shell, a shell in back top thread of next s c; repeat from \* across row, end with 3 d c in both threads of last s c. Repeat the last 2 rows until 22 shell rows are completed from beg. Work 3 more shell rows working shells of 7 d c instead of shells of 5 d c, working beg. and end of rows as before, fasten off.

**SLEEVE**—Working from right side, work 1 s c in ch 1 at underarm, work 43 s c around arm-hole being careful to space sts evenly, join with a slip st in first s c. **Shell Pattern round**—Ch 3, turn, 2 d c in same st as joining st, work in 5 d c shell pattern, end with 2 d c in same st as first 2 d c, join with a slip st in top of turning ch 3. **2nd round**—Ch 1, turn, 1 s c in same st as joining st, continue in pattern around, join with a slip st in first s c. Repeat the last 2 rounds until 18 rounds are completed from beg. Work 3 more rounds with shells of 7 d c, beg. and end rounds with 3 d c.

**EDGING**—Working on right side and beg. at lower edge of right front, work a row of s c sts (being careful to space sts evenly so that edge lies flat) up right front, around neck and down left front (having same number of sts on fronts); fasten off. Working on same side, work 1 d c in s c on right front neck edge, \* ch 1, skip next s c, 1 d c in next s c; repeat from \* to s c on left front neck edge (beading), ch 3, 1 s c in next s c, † ch 3, draw up a loop in same st last st was worked in, retaining the 2 loops on hook, skip next st, draw up a loop in next st, thread over and through all 3 loops on hook; repeat from † down left front edge, along lower edge, up right front edge and across top of beading, join with a slip st in first st; fasten off. Work same edging around lower edge of sleeves, omitting the beading and joining at end of each round. Steam lightly. Sew on 3 buttons and insert ribbon through beading around neck as shown in illustration.

### Bonnet No. 281B

Ch 5. join with a slip st into a ring; ch 1, work 14 s c in ring; join with a slip st in first s c. **First row**—Ch 1, turn, 1 s c in first s c, \* ch 1, 1 s c in next s c; repeat from \* 11 times, 1 s c in last st. **2nd row**—Ch 1, turn, 1 s c in first s c, \* ch 1, 1 s c in space under next ch 1; repeat from \* 11 times, 1 s c in last s c. **3rd row**—Same as 2nd row. **4th (first inc.) row**—Ch 1, turn, 1 s c in first s c, \* ch 1, 2 s c with ch 1 between under next ch 1 (inc.), ch 1, 1 s c under next ch 1; repeat from \* 5 times, 1 s c in last s c (18 patterns of ch 1 and 1 s c, 1 extra s c each end). **5th row**—Ch 1, turn, inc. 1 pattern in every 3rd space 6 times (24 patterns). **6th row**—Ch 1, turn, inc. in every 4th space 6 times (30 patterns). **7th row**—Ch 1, turn, inc. in every 5th space (36 patterns). **8th row**—Ch 1, turn, inc. in every 6th space (42 patterns, with 1 extra s c each end). Work 4 rows even. **13th row (right side)**—Ch 1, turn, skip first s c, 1 s c in each s c and ch (85 s c). **14th row**—Ch 3, turn, 2 d c in first st, \* skip 1 st, 1 s c in next st, skip 1, 5 c c (a shell) in next st; repeat from \*, end last repeat 3 d c in last st. Work 4 more rows in 5 d c shell pattern as on sacque (21 shells). **First short row**—Ch 1, turn, slip st over first 10 sts, ch 3, 2 d c in same st as last slip st, 1 s c in center of next shell, work 17 full shells, 1 s c in center of next shell, 3 d c in next s c. Work even on these 18 shells for 16 more rows.

**FRILL**—Work 2 rows with 7 d c in each shell and 1 row with 9 d c in each shell, end 1 s c in turning ch, 1 slip st in same place. Do not turn. Working from wrong side along top of last "5 d c" shell row, work 1 s c in last s c of first "7 d c shell" row, ch 2, 1 s c in free loop in same st as 7 d c shell, \* ch 2, 1 s c in center of next s c, ch 2, 1 s c in free loop in same st as next 7 d c shell; repeat from \*, end ch 2, 1 s c in end of "7 d c shell row".

**EDGING AROUND FACE**—Ch 1, turn, 1 s c in first s c, \* ch 3, draw up a loop in same st as last st, skip ch 2, draw up a loop in next s c, over and through all 3 loops on hook; repeat from \* to end. Fasten off. Sew ends of rows tog. on crown.

**NECKBAND**—Working from right side, work 24 s c on side of short rows, 17 s c on back of neck, 24 s c on other side (65 s c). **2nd row**—Ch 1, turn, 1 s c in each st. **3rd row**—Ch 4, turn, 1 d c in 3rd s c, \* ch 1, skip 1 s c, 1 d c in next st; repeat from \* to end. **4th row**—Ch 1, turn, 1 s c in each st and ch.

**EDGING**—Ch 1, turn, 1 s c in first st, \* ch 3, draw up a loop in same st as last s c, skip 1 st, draw up a loop in next st, over and through all 3 loops; repeat from \* around neck and front edge; join with a slip st in first st. Fasten off. Steam lightly. Sew in lining. Draw ribbon through beading at back of neck and trim as shown.

### Bootees No. 281C

**INSTEP**—Ch 11, 1 s c in 2nd st from hook, \* ch 1, skip 1, 1 s c in next st; repeat from \* 3 times,

1 s c in last st. **2nd row**—Ch 1, turn, 1 s c in first s c, \* ch 1, 1 s c in next space; repeat from \* 3 times, 1 s c in last st. Repeat last row until 12 rows from beg. Fasten off.

**FOOT**—Ch 19, working from same side as last row of instep, work 12 s c on side edge of instep, 5 s c across foundation ch of instep, 12 s c on other edge, ch 21. **2nd row**—Turn, 1 s c in 2nd st of ch. \* ch 1, skip 1, 1 s c in next st; continuing across ch, around instep and across other ch, repeat between \*'s 32 times, 1 s c in last st (33 patterns with extra s c each end). Work 9 rows even as on instep. **Next row**—Ch 1, turn, 1 s c in first s c, work 15 patterns, 1 s c in each of next 4 spaces omitting ch 1 between; work pattern to end. Ch 1, turn, 1 s c in each st and space. Fasten off.

**LEG**—Working from same side as last s c row, work 19 s c on foundation ch of foot, 7 s c across instep, 19 s c on other ch. Ch 4, turn, 1 d c in 3rd s c, \* ch 1, skip 1 s c, 1 d c in next st; repeat from \* to end. Ch 1, turn, 1 s c in each st and ch, 1 s c in 3rd st of turning-ch (45 s c). **First row of shell pattern (wrong side)**—Ch 3, turn, 2 d c in first s c, \* skip 1 s c, 1 s c in next st, skip 2 s c, a shell of 5 d c in next st; repeat from \*, end last repeat skip 1 st, 3 d c in last st (8 full shells with ½ shell each side). Work 3 more rows of 5 d c shell pattern as on sacque. Work 1 row with 7 d c in each shell. Work 1 row of edging as on bonnet. Steam lightly. Draw narrow ribbon through beading. Sew sole and back seam.

### "Christening Set" No. 282

(Continued from Page 7)

**2nd row**—Ch 2, turn, 1 d c in s c of row below, \* 1 shell in next ch 2 loop; repeat from \*, end 1 s c in turning ch. Repeat 2nd row until yoke measures 4 inches.

**Underarm inc. row**—Ch 3, turn, 1 shell in first s c of row below, 1 shell in ch 2 loop of first shell, continue pattern across row, end work 1 shell in turning ch, 1 s c in same loop (21 shells—1 shell increased each side for underarm). Work 3 rows even. Fasten off.

**RIGHT FRONT**—Ch 24 for top of shoulder. **First row**—Work 5 shells as on back yoke. **2nd row**—Ch 3, turn, 1 shell in s c of row below, work pattern across row (6 shells). Work 1 row even.

Repeat 2nd row once, end at armhole (even) edge (7 shells). Do not break. Join a separate strand at beg. of row at neck and ch 17 for front of neck. Fasten off.

**Next row**—Work pattern across 7 shells, 1 shell in first st on ch, \* skip 3 sts, 1 shell in next st; repeat from \* twice, skip 3 sts, 1 s c in last st (11 shells).

Work even until same number of rows from beg. as back to underarm, end at armhole edge.

Inc. 1 shell at beg. of next row as on back. Work 3 rows even on 12 shells. Fasten off.

Join thread on front at lower edge, work 37 s c to neck.

**2nd row**—Ch 1, turn, 1 s c in first st, \* ch 2 for



buttonhole, skip 2 sts, 1 s c in each of 9 sts; repeat from \*, end last repeat 1 s c in last st (4 buttonholes). Ch 1, turn, 1 shell in first st, \* skip 3 sts, 1 shell in next st; repeat from \*, end skip 3 sts, 1 s c in last st. Fasten off.

**LEFT FRONT**—Make left front the same. Beg. at neck work 2 rows s c on front edge.

Sew front shoulder edges to 5 shells on each side of first row of back. Sew underarm seams for 4 rows.

**Beading**—Join thread on lower edge of left front at corner, work 48 s c on lower edge of front, 84 s c on back, 49 s c on right front, end last s c in turning ch of shell row on front edge (181 sts). Ch 6, turn, 1 tr in 4th s c, \* ch 2, skip 2, 1 tr in next st; repeat from \* to end (60 meshes).

**SKIRT**—Shell Pattern with Scalloped Edges—**First row**—Ch 1, turn, 1 shell in first tr, \* skip 2 sts, 1 shell in next st, skip 1, 1 shell in next st; repeat from \*, end 1 shell in 4th st of ch (73 shells). **2nd row**—Ch 2, turn, \* 1 s c under ch 2 loop of shell, ch 2, 3 d c in same loop; repeat from \* across. Repeat 2nd row until skirt measures 13 inches from beading or desired length, slip st in same st as last shell on last row; fasten off.

**COLLAR**—Ch 92; 1 s c in 2nd st from hook and in each st on ch (91 sts). **Shell Pattern**—Ch 1, turn, 1 shell in first s c, \* skip 2 sts, 1 shell in next st; repeat from \*, end skip 2, 1 s c in last st (30 shells). Repeat 2nd row of pattern as on skirt of coat 5 times; slip st in same space as last shell on last row; fasten off.

**SLEEVES**—Ch 60 for top of sleeve, work shell pattern even as on back yoke for 3 inches (14 shells). Inc. 1 shell each side of next row as on back for underarm (16 shells). Work even until sleeve measures 7 inches from beg.

**Cuff**—Ch 2, turn, \* 1 s c in 2nd d c of shell, 1 s c in ch 2 loop; repeat from \*, end 1 s c in turning ch (33 sts; ch 2 at beg. does not count as a st). **Next row**—Ch 1, turn, 1 shell in first st, \* skip 3 sts, 1 shell in next st; repeat from \*, end skip 3, 1 s c in last st (8 shells). Work 2 rows even. Fasten off.

**FINISHING**—Sew sleeve seams. Sew sleeve to armhole, holding top of sleeve in to 2 inches, with center of sleeve at shoulder seam. Sew remainder of sleeve edges to armhole. Sew collar to neck edge. Steam lightly. Sew on 4 buttons. Run ribbon through beading.

### Bonnet No. 282B

**CENTER BACK**—Ch 4, join with a slip st into ring, 10 s c in ring; join. **Shell Pattern**—**First row**—1 s c in first st, ch 2, 3 d c in same st, skip 1 st, \* 1 s c in next st, ch 2, 3 d c in same st (a shell), skip 1 st; repeat from \* 3 times, join with a slip st in first s c (5 shells). **2nd row**—Ch 2, turn, \* 1 s c in 2nd d c of next shell in row below, ch 2, 3 d c in same st; 1 s c in ch 2 loop of same shell, ch 2, 3 d c in same loop; repeat from \* around; join with a slip st in first s c (10 shells).

**3rd row**—Ch 2, turn, 1 shell in ch 2 loop of first

shell of row below, \* 1 shell in ch 2 loop of next shell; repeat from \* around; join (10 shells). **4th row**—Same as 3rd row. **5th row**—Same as 2nd row (20 shells). Repeat 3rd row 3 times (20 shells). **9th row**—Ch 2, turn, \* 1 shell in ch 2 loop of next shell in row below, 1 shell in 2nd d c of next shell, 1 shell in ch 2 loop of same shell; repeat from \* 9 times; join (30 shells). Repeat 3rd row 3 times (30 shells). Center should measure about 6 inches across. **Next row**—Ch 2, turn, work 28 shells, 1 s c in ch 2 loop of next shell. **Dec. row**—Ch 2, turn, 1 d c in s c, \* 1 shell in ch 2 loop; repeat from \* to within 1 shell of end of row below, 1 s c in ch 2 loop of last shell (27 shells). Repeat dec. row once (26 shells). Repeat 2nd row of shell pattern as on back yoke of coat, working edges even until bonnet measures 6 inches from center back. **Frill**—Work 2 shells, \* 1 shell in 2nd d c of next shell, 1 shell in ch 2 loop of same shell, 1 shell in each of next two ch 2 loops; repeat from \* 7 times, end 1 s c in turning ch (34 shells). Work 3 rows even; join last shell in ch 2 loop of last shell in 2nd row. Do not turn, work 22 shells on neck edge, join in first st of turning ch of first shell in 4th row of frill. Fasten off. Steam lightly. Sew in lining. Sew pleated ruching under frill. Sew on ribbon tie strings.

### Bootees No. 282C

**FOOT**—Instep—Ch 17, 1 s c in 2nd st from hook and in each st on ch (16 sts).

**2nd row**—Ch 1, turn, 1 s c in each st. Repeat 2nd row until 1¼ inches. Ch 15; work 14 s c on ch; 18 s c on *side edge* of instep, 16 s c on foundation ch, 18 s c on other side. Join separate strand at beg. of last row of instep, ch 14; fasten off. Work 14 s c on this ch (80 sts). Work s c on these sts for 1 inch. Mark center of last row.

**Dec. row**—1 s c, dec. 1 st, work to within 3 sts of center, dec. 1 st, work 2 s c, dec. 1, work to within 3 sts of end, dec. 1, work 1 s c (76 sts). Work 1 row even. Repeat these 2 rows once; repeat dec. row again (68 sts). Fasten off.

**Beading**—Join thread at center of heel (end of "ch 14" foundation ch), ch 5, skip first st, 1 d c in next st, \* ch 1, skip 1, 1 d c in next st; repeat from \* across foundation ch, front of instep and other foundation ch (22 meshes).

**Leg**—Shell Pattern—**First row**—Ch 1, turn, 1 shell in first d c as on coat, \* skip 3 sts, 1 shell in next d c; repeat from \*, end skip 3 sts, 1 s c in 4th st of turning ch (11 shells).

**2nd row**—Ch 2, turn, 1 d c in s c, \* 1 shell in ch 2 loop, repeat from \*, end 1 s c in turning ch. Repeat 2nd row until leg measures 2½ inches from beading. Fasten off. Sew seam in back and foot. Steam. Run ribbon through beading.

### "Button Up" Cardigan No. 283

(Continued from Page 8)

1 d c and 1 s c in d c of next group; repeat from \*, end ch 2, 1 d c in 2nd st of turning ch (15 patterns, including end pattern). Repeat 2nd

row for pattern. Work 4 inches. Fasten off. Measure sts and rows to verify gauge.

**BACK**—Ch 91 sts. Work pattern as given for sample of pattern st for 6½ inches, or until desired length to underarm (30 patterns, including end pattern), end on wrong side.

**Armholes**—Turn, slip st over first 2 patterns (9 sts) for underarm, ch 4, work pattern to within 3 patterns of end, ch 2, 1 d c in next d c (26 patterns). Ch 4, turn. Work even until 3½ inches above underarm. Fasten off.

**LEFT FRONT**—Ch 49. Work pattern (16 patterns) until same number of rows as on back to underarm, end on wrong side.

**Armhole**—Turn, slip st over first 2 patterns for underarm, ch 4, work pattern to end of row (14 patterns). Continue pattern until 2 inches above underarm, end at armhole edge.

**Neck Shaping**—Work to within 7 patterns of front edge, ch 2, 1 d c in next d c (8 patterns). Ch 4, turn. Work even until same number of rows as on back armhole. Fasten off.

**RIGHT FRONT**—Ch 49. Work pattern until same number of rows as on back to underarm, end on wrong side.

**Armhole**—Work to within 3 patterns of end, ch 2, 1 d c in next d c. Ch 4, turn. Complete to correspond to left front, working slip st over 6 patterns for neck.

**SLEEVES**—Ch 70 sts. Work pattern (23 patterns) even for 7 inches, or desired length to underarm. Fasten off.

**FINISHING**—Sew side seams. Sew shoulder seams using 8 patterns on each side of back. Sew sleeve seams to within 3 rows of top. Sew in sleeves with seams matching, sewing edges of 3 rows left free at top of sleeve across sts left off for underarm.

**FRONT BORDERS**—Beg. at lower edge of right front with main color work 1 row s c to neck edge, keeping work flat; 3 s c at corner, 28 s c to shoulder, 30 s c across back of neck, finish other side to correspond, end at lower edge of left front. Fasten off.

**2nd row**—Join contrasting color at lower edge of right front, work 1 s c in *back loop* of each st to *right* neck edge. Fasten off. **3rd row**—Join main

color at lower edge of right front, work 1 s c in *back loop* of each st to within 46 sts of neck edge, \* ch 2, skip 2 sts, 1 s c in back loop of each of next 12 sts; repeat from \* 3 times, end last repeat 1 s c in each st to neck. Fasten off. Work 1 more row s c on right front using main color and working in back loop of each st. Fasten off. Beg. at neck edge of left front work 1 row s c with contrasting color and 2 rows s c with main color, as on right front, omitting buttonholes.

**PICOT EDGING**—Join contrasting color on left neck at inner edge of left front border, work 1 s c in end of each row of border to corner, ch 3, 1 s c in same st as last s c; continue down left front as follows: 1 s c in back loop of each of next 5 s c, ch 3, 1 s c in same st as last s c; repeat from \* down left front, around lower edge and up right front, having 1 picot at each

corner, end 1 s c in end of each row of right front border. Fasten off.

**COLLAR**—Join main color on neck edge at inner edge of right front border, work 86 s c around neck to inner edge of left border. **First row of pattern** (right side of collar when turned back)—Ch 4, turn, \* skip 2 sts, work 1 d c and 1 s c in next st, ch 2, skip 1 st, work 1 d c and 1 s c in next st, ch 2; repeat from \*, end ch 2, 1 d c in last s c. Continue pattern as on sample for 7 more rows. Fasten off. With main color and working from right side, work 1 row s c around entire outer edge of collar, keeping edge flat. Fasten off. With contrasting color work picot edging as on borders. Fasten off.

**SLEEVE BORDERS**—With contrasting color, working from right side, work 54 s c on edge of sleeve (skip about every 4th st of foundation ch), join with a slip st. Work 2 rows s c with main color and picot edging with contrasting color as on front border. Steam. Sew on buttons.

### "Cuddly" Sacque No. 296

(Continued from Page 8)

—Ch 4, turn, 1 d c in 2nd d c below, \* ch 1, skip the ch 1, 1 d c in next d c; repeat from \*, end ch 1, 1 d c in last d c, ch 1, 1 d c in 3rd st of turning ch. Repeat 2nd row until there are 29 rows from beg. (6½ inches).

**BODY**—Ch 71 for length of front to underarm, work 34 meshes on ch (as on first row), continue across sleeve; join a separate strand to 3rd st of turning ch of sleeve, ch 68. Fasten off. With regular strand work 34 meshes on this ch for length of back to underarm (105 meshes). Work even until there are 14 rows on body, end at lower edge of front (3 inches). **Next row**—Ch 4, turn, work first 47 meshes for front to neck edge. Turn, work even for 9 rows (2 inches), end at neck edge. Fasten off. There will now be 23 rows for right front. Skip 8 meshes on last long row (right shoulder), work pattern to end of row for back. Work even on the 50 meshes now in row for 18 rows (4 inches), end at neck edge, ch 16 (for left shoulder); fasten off. Ch 98 for front edge of left front and work even on the 47 meshes now in row for 2 inches (9 rows), end at neck edge; work along the ch left free at left shoulder of body in pattern, then down to end of row (105 meshes). Work even until there are 14 rows (3 inches) for left shoulder; fasten off. Turn, skip 34 meshes for front, work pattern on next 37 meshes for left sleeve. Finish left sleeve to correspond; fasten off. Sew seams.

**WEAVING**—Cut strands of Angora about 4 inches longer than desired length. Beg. at lower edge of sacque, weave *in and out* in first row of meshes leaving ends at both front edges to be darned in later. **2nd row**—Weave *out and in* over opposite meshes, giving a woven effect as shown. Continue in this way until sacque is completed, being careful not to draw Angora tight.

**EDGING**—With Angora and white hook, working from right side, beg. at lower edge of right front, work 1 s c in first space, \* ch 1, skip 1 space, 1 s c in next space; repeat from \* up



front edge, around neck edge then down left front edge; fasten off. Finish sleeves with same edging skipping 2 meshes between s c. Trim with ribbon as shown in illustration.

### "Lacy" Sacque No. 284

(Continued from Page 9)

3rd row—Same as first row.

4th row—K 1, k 2 tog, \* y o, k 3, y o, slip 1, k 2 tog and pass; repeat from \*, end y o, k 3, y o, k 2 tog, k 1.

Repeat these 4 rows for entire sacque. Work until  $6\frac{1}{2}$  inches or  $\frac{1}{2}$  inch shorter than desired length to beg. of kimona sleeves, end with an openwork row.

Cast on loosely, 48 sts at beg. of next 2 rows (171 sts). Work even until sleeve measures 3 inches at outside edge, end with an openwork row. P 69 sts and slip to back of needle, bind off 33 sts for back of neck, p 69. Work even on 69 sts for  $1\frac{1}{2}$  inches, end at neck edge. Cast on 18 sts at neck edge. Work even until sleeve is 7 inches wide, end at outside edge.

Bind off loosely 48 sts for sleeve at beg. of next row (39 sts) Work even until there are same number of rows as on back from lower edge to sleeve. Bind off. Join thread at neck edge, finish left side to correspond.

**FINISHING**—Beg. at left neck edge working from right side, work 1 row s c around entire edge, keeping work flat; join with a slip st in first st. Ch 3, turn, skip 1 st, 1 d c in next st, \* ch 1, skip 1, 1 d c in next st; repeat from \*, around neck edge, end 1 d c in last st. Ch 3, turn, 1 s c under first ch, \* ch 3, 1 s c under next ch; repeat from \* around neck edge, end 1 s c in last d c of previous row. Fasten off. Work 3 rows edging around lower edge of sleeves as on neck edge. Steam lightly to given measurements. Insert ribbon in beading around neck and sleeves.

### "Adorabelle" Sacque No. 285

(Continued from Page 9)

break off color. Repeat this row for pattern. First inc. row—With white, ch 3, turn, work 7 patterns (for left front), \* inc. 2 patterns in next pattern as follows: work 1 d c, ch 2, 1 d c—all in space between last and next pattern, 1 d c, ch 2, 1 d c—all in next ch 2—space (mark for seam pattern), work pattern in space between last and next pattern, work even on next 6 patterns (for sleeve), inc. as before on either side of next pattern, mark as before, work 14 patterns (for back), inc. on either side of next pattern and mark (for seam), work even 6 patterns (for other sleeve), inc. on either side of next pattern, mark as before, then work even on last 7 patterns to end of row (right front). Next row—Ch 3, turn, work even on the 52 patterns now in row and fasten off white. 2nd inc. row—With color ch 3, turn, even on first 8 front patterns, inc. on either side of next (marked) pattern, even on 8 sleeve patterns, inc. either side of next marked pattern, even on 16 back patterns, inc. as before, even on next 8 sleeve patterns, inc., even on last 8 front patterns to end. Next row

—Ch 3, turn, even on the 60 patterns now in row and fasten off. From now on continue increasing 8 patterns in every other row as before, in 2-row striped pattern as follows: white, color, white. Continue with color, increasing as before until there are 19 rows from beg.; 116 patterns.

**Body**—Ch 3, turn, even on the first 17 patterns (front), skip the next 24 sleeve patterns, continue even on next 34 patterns (back), skip 24 sleeve patterns, even on last 17 patterns (other front). Continue even on 68 patterns for 24 more rows or until 6 inches from underarm; fasten off.

**SLEEVES**—With color, working from wrong side of last row on yoke, work back and forth on the 24 sleeve patterns for 20 rows (5 inches) from underarm. Next row—Ch 1, turn, 1 s c in each d c, skipping the ch 2 below (50 s c in row). 2nd and 3rd row—Ch 1, turn, 1 s c in each st; fasten off. Work other sleeve to correspond. Sew sleeve seams.

**EDGING**—With color and beg. at neck edge of left front, work a row of s c down front edge (2 s c to each row), 3 s c in corner, then continue along lower edge of sacque (1 s c in each d c and 1 s c in each space), 3 s c in corner st, then continue up right front same as left; fasten off. 2nd row—With white, working from same side as last row, 1 d c in first st (neck edge of left front), ch 3, slip st in 3rd st from hook (a picot), 1 d c in same st as first d c, \* skip 2 sts, 1 d c, ch 3, picot, 1 d c,—all in next st; repeat from \* to corner, 5 d c with picots between each,—all in corner st, then continue edge along lower edge to next corner, work this corner same as first, then along other front edge to neck, 5 d c in corner, continue along neck edge with same edge, end with a group of 3 d c with picots between each in same st as first pattern, ch 3, picot, join with a slip st in top of first d c of round; fasten off. Finish sleeve edge with white same as edging on sacque. Draw ribbon through first color row at neck. Trim with bows as shown in illustration.

### "Party" Dress No. 290

(Continued from Page 10)

to work even on the 16 patterns now in row for 3 rows.

**Neck and Shoulder Shaping**—Work pattern over first 5 patterns for 5 rows, end at neck edge. Next row—Ch 3, turn, work over the first  $2\frac{1}{2}$  patterns, 1 s c in next d c; fasten off. Skip 6 patterns for front neck edge on last long row, work over last 5 patterns to correspond to first shoulder; fasten off.

**BACK**—Follow instructions for front up to 6th row on yoke. Next row—Work same as first row of shell pattern to center of row (8 patterns) for right half of back yoke, work even on these 8 patterns until there are 9 rows from last s c row, end at neck edge. Next row—Ch 3, turn, work pattern to within  $2\frac{1}{2}$  patterns of end for shoulder shaping; fasten off. Fasten strand in same st (on last s c row of yoke) as last st of right half, work 8 patterns for left side of yoke and continue to work this side to correspond to right; fasten off.

**SLEEVES**—Ch 62, for lower edge, 61 s c on ch. 2nd row—Ch 1, turn, 1 s c in each st. 3rd row—Same as 3rd row of Yoke Band. 4th and 5th row—Same as 4th and 5th row of Yoke Band. 6th row—Ch 1, turn, 1 s c in each of the 61 sts in row. 7th row—Work same as first row of pattern, but skipping 1 st instead of 2 (15 shell patterns). Continue even in pattern for 3 more rows. Next row—Turn, slip st over 1 pattern for underarm, pattern to within 1 pattern of end. Work even in pattern until there are 2½ inches from underarm shaping (10 rows). Next row—Turn, slip st over 1 pattern, omit the ch 3, work a shell in next d c (between shells), work 11 patterns, slip st in space of next shell. Repeat last row once having only 9 patterns in row; fasten off.

**POCKETS**—Ch 14 for lower edge. First row—Same as first row of shell pattern, working in each st. Work even in pattern for 5 more rows. Next row—Ch 1, turn, skip first st, \* 1 s c in each of next 2 sts, skip next st; repeat from \*, end 1 s c in each of last 2 d c of row below. Working in same way as yoke band work 1 more row in s c, 1 row d c, 1 row s c; fasten off. Make 2nd pocket in same way.

**FINISHING**—Sew seams, leaving 2½ patterns free from neck edge for shoulder openings. Sew in sleeves. Sew on pockets as shown. Working from right side, work 2 rows of s c on lower edge. Neck Edge—Working from right side, beg. at lower edge of back opening, work 24 s c to neck, 2 s c in corner, continue along shoulder opening (27 s c on back), 12 s c along front of opening, 2 s c in corner, 14 s c along side of neck edge, 30 s c along front of neck; finish other side to correspond, join with a slip st in first s c. Final round—Working from same side as last round, ch 1, \* 1 s c in each of 10 sts along back opening, ch 2, skip 2 sts (for buttonloop); repeat from \* once, 2 s c in corner st, 1 s c in each st to within 2 sts of front neck edge, ch 2, skip 2 sts (for shoulder buttonloop), continue in s c along neck edge to other side and work other side to correspond, working a buttonloop on right shoulder, then work s c along shoulder opening, 2 s c in corner, 1 s c in each st down back opening; fasten off. Sew on buttons. Embroider in Catch Stitch as shown.

## "Go-With-All" Jacket No. 289

(Continued from Page 11)

shells. Work pattern until same number of rows as on back to top. Fasten off.

**LEFT FRONT**—Work same as right front up to armhole, end with 2nd pattern row at armhole edge. Shape same as right armhole of back. Work even until same number of rows as on right front to neck, end at armhole edge.

**Neck**—First row—Work 5 shells. Finish same as right front.

**SLEEVES**—With dark, ch 47. Work 5 rows of s c, working in front loop only, ch 1, turn at end of every row (46 sts).

**Inc. row**—\* 1 s c in first s c, 2 s c in next s c; repeat from \* across (69 sts). Work pattern even (17 shells) for 8 inches or desired length, end with 2nd row. Shape same as armholes of back (13 shells). Work even until 10¼ inches from cuff, end with 2nd row. Work 1 row even with light. Shape top by working next 3 rows as in 2nd, 3rd and 4th armhole rows of back. Fasten off.

**FINISHING**—Sew seams, sewing 5 shells of front shoulders to 5 shells at each side of back. Sew in sleeves, gathering top edge in to 2 inches.

**BORDER**—Join dark on lower right front corner, work 80 s c to neck, 2 s c at corner, 19 s c on neck edge, 16 s c on side edge to shoulder, 36 s c on back neck edge, continue s c on left side to correspond. Ch 1, turn at end of every row and work in front loop only. 2nd row—Work 81 s c, 3 s c at corner, 18 s c, dec. 1 st in next 2 sts at inside corner, work s c to shoulder seam, dec. 1 st, finish right side to correspond. 3rd row—Work 82 s c, 2 s c at corner, 18 s c, dec. 1 st, 64 s c, dec. 1 st at inside corner, finish to correspond. 4th row—Work 83 s c, 3 s c at corner, finish same as 2nd row. 5th row—Work 13 s c, ch 3 for buttonhole, skip 3 sts, \* 14 s c, ch 3, skip 3; repeat from \* 3 times, 2 s c at corner, finish row, decreasing at inside corners. 6th row—Work 3 s c at outside corners, dec. at inside corners and shoulder seams. 7th row—2 s c at outside corners, dec. at inside corners. 8th row—Same as 6th row, 2 s c at lower corner, 7 s c on end of border. Fasten off. Join and work s c on end of left border. Steam. Sew on buttons.


**BUY SUFFICIENT MATERIAL**—At the time you make your initial purchase of the material for the piece you intend to make, it is important that you buy the complete amount of each color necessary to finish the article, making sure that it is all of one dye lot number as the next lot number of any color may differ slightly in shade from the original lot you purchased and make it impossible to complete your article satisfactorily.




# DETAIL STITCHES




No. 280 — See Page 4




No. 281 — See Page 6




No. 282 — See Page 7




No. 283 — See Page 8




No. 286 — See Page 8




No. 296 — See Page 8




No. 284 — See Page 9




No. 285 — See Page 9



No. 289 — See Page 11



No. 290 — See Page 10



No. 287 — See Page 12



## ABBREVIATIONS AND TERMS USED IN KNITTING AND CROCHETING

ch—chain  
s c—single crochet  
s d c—short double crochet  
h d c—half double crochet  
slip, k and pass—slip 1, k 1, pass the slipped st over the knitted st.  
An *Asterisk* (\*) indicates that the instructions immediately following are to be repeated the given number of times, in addition to the original. Thus "repeat from \* 3 times" means to make 4 times in all.

d c—double crochet  
tr—treble  
st—stitch  
k—knit

p—purl  
tog—together  
y o—yarn over  
beg.—beginning

dec.—decrease  
inc.—increase

The \*\* and † are used in the same way.

*Even* means that a row is to be worked without either increase or decrease.

*Work* means to continue in the stitch which has been described.





Mrs. Dan Gerber, mother of five, whose second child was the inspiration for Gerber's Baby Foods.

# One Mother to Another ...



As a mother myself, I know how important it is to know the foods you select for baby. So it is a pleasure to assure you that the various Gerber's Baby Foods were prepared originally for my own babies. And these special foods for babies have been shared with millions of American babies since their introduction 17 years ago.

Gerber's Strained Foods are made from high-quality vegetables carefully washed in pure, artesian well water, then cooked the Gerber way by steam to retain precious minerals and vitamins. These foods for babies have the same smooth texture throughout, and are made to taste extra good. There are 15 varieties of Strained Foods for all, including our ready-to-serve custard made from milk and eggs. This is a great favorite with mothers, for it makes a wonderful dessert for babies of all ages.


There are 8 Gerber's Chopped Foods made from the same high-quality ingredients for older babies who have developed their first molar teeth, and who can chew a little. All Gerber's Foods are carefully prepared by trained nutritionists and are laboratory-checked at every step.

The two baby cereals, Gerber's Cereal Food and Gerber's Strained Oatmeal, were developed with the help of infant nutrition specialists and doctors. Both cereals contain added iron and Vitamin B1. Babies are born with a supply of iron gathered from their mothers during the prenatal period, but this supply of precious iron often runs low after three months or more. Two feedings a day of these cereals does much to help baby restore the much needed iron. Both cereals are ready-to-serve -- simply add hot or cold milk, or formula.

You might be interested in two helpful booklets on baby care. They are fully described below.



Look for "America's Best-Known Baby" on every package.



Gerber's Baby Foods are made in these big, shiny kitchens which are always kept spotlessly clean.



*Mrs. Dan Gerber*

## Gerber's

*Baby Foods*

CEREALS • STRAINED FOODS • CHOPPED FOODS

When writing for these booklets, address Gerber's, Dept. U.Y.B.-5, Fremont, Michigan.



"Baby Book" gives useful pointers on baby care. Please enclose 10¢ for this one.



"Foods for Baby", full of helpful information for mothers, written by Lillian B. Storms, Ph.D. —specialist in infant nutrition. It's free!



